

# Red-D-Arc Welderrentals

## Calibration Certificate

### Miller ProHeat 35

Unit Serial Number: MB100692G

Date Tested: 1/17/13

#### Certified Calibration

Primary Standard						
	382° (F) 2.787VDC@RC9		882° (F) 6.013VDC@RC9		1382° (F) 9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.785	382	6.007	882	9.249	1382
TC2	2.790	382	6.019	882	9.253	1382
TC3	2.800	382	6.023	882	9.253	1382
TC4	2.794	382	6.016	882	9.251	1382
TC5	2.789	382	6.019	882	9.250	1382
TC6	2.789	382	6.012	882	9.246	1382
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

#### Instruments Used:

Fluke 714 Thermocouple Calibrator SN: 2083066

Calibration Date: 6/25/12

Precision Digital Voltage Meter SN: 2141018

Calibration Date: 8/15/12

Machine re-calibration due date: 1/17/14

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician: Don Wagner

Date: 1/17/13

Signature