

# Red-D-Arc Welderrentals

## Calibration Certificate

### Miller ProHeat 35

Unit Serial Number: ME340052G

Date Tested: 8/8/2016

### Certified Calibration

Primary Standard						
	382° (F) 2.787VDC@RC9		882° (F) 6.013VDC@RC9		1382° (F) 9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.783	382	6.007	881	9.227	1381
TC2	2.789	382	6.009	882	9.233	1381
TC3	2.784	382	6.006	882	9.234	1381
TC4	2.780	382	6.011	881	9.234	1381
TC5	2.781	382	6.006	881	9.237	1381
TC6	2.785	382	6.006	882	9.236	1381
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

#### Instruments Used:

Fluke 714 Thermocouple Calibrator SN: 1882015

Calibration Date: 10/26/2015

Precision Digital Voltage Meter SN: 2036021

Calibration Date: 10/26/2015

Machine re-calibration due date: 8/8/2017

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician: Scott T.

Date: 8/8/2016

Signature